

RECIPROCATING COMPRESSORSelection Chart for Vibration Studies

| Vibration Study Component | APPLICATION RISK | | | |
|---|--|--|---|--|
| | Very Low | Low | Medium | High |
| 1. Torsional | A Torsional Vibration Analysis* (TVA) is required if new driver/compressor configuration, change in operating conditions, etc. | | | |
| 2. Pulsation (Acoustics) | Bottle Sizing only | Pulsation Analysis* (acoustic study of compressor piping system) | | |
| 3. Mechanical | n/a | Mechanical Review* | MNF Analysis* (frequency avoidance) | MNF + Forced Response Analysis* |
| 4. Pipe Stress (Thermal, Piping Flexibility) | Strongly recommended (required) when coolers mounted off-skid | | | |
| 5. Skid & Foundation | n/a | n/a Option: Lifting; a | Skid Review and/or Transportation/En | Skid Dynamic Analysis; vironmental Analysis |

| Recommended Options | | | |
|---|---|--|--|
| 6. Small Bore Connections (SBC) | Evaluate SBC design and recommended changes. If SBC drawing not available, a site visit is recommended to assess stress and recommend improvements. | | |
| 7. Foundation Design; or 8. Structural Dynamics | Structural Dynamic Analysis required for offshore facilities. Foundation design recommended for medium to large units mounted on piles or gravel, and for critical applications. | | |
| 9. Fuel Gas Booster (Pulsation Limits) | Ensure pulsation limits from booster compressor to gas turbine meet owner/OEM specifications. | | |
| 10. Station Analysis | Assess pulsation interaction between reciprocating and centrifugal compressors; and ensure pulsations in headers are properly managed. | | |

Definition: API 618 Design Approach 3 (DA3) includes both Pulsation and Mechanical Analysis (both frequency avoidance and forced response analysis where required).

Application Risk: Refer to BETA's downloadable Risk Rating Chart

*Terms from Application Chart

- **Torsional Vibration Analysis (TVA)** Evaluate torsional system and provide recommendations to avoid resonance and ensure torsional stress is below guideline.
- **Pulsation Analysis** Perform an acoustic simulation of the piping system and recommend a pulsation control solution. Evaluate the entire operating map, not just a few isolated conditions.
- **Mechanical Review** Basic review of piping system using standard "rules of thumb." Does not include Finite Element (FE) modelling.
- **MNF Analysis** Using an accurate FE model, assess pulsation forces and gas forces across the relevant harmonics to avoid resonance conditions.
- Forced Response Analysis Using an accurate FE model and significant forces, calculate vibration and stress amplitudes. Recommend modifications where stress exceeds guideline.